



THE EFFECTS OF GLOBAL WARMING: THE CASE STUDY OF KARACHI'S HEAT WAVES AND ITS IMPLICATIONS

Syed Affan Kamal

Research Scholar

Federal Urdu University Arts, Science & Technology, Karachi

saffank123@gmail.com

ABSTRACT

Our home Earth a beautiful place to live, Allah created earth for his lovable creature but human being is destroying the beautiful earth for his own comfort. And now we're experiencing the consequences, such as rising temperatures. The interaction of rising global temperatures over the nation's land and oceans is known as "Intercontinental weather evolution." Evolution in world's weather is an outcome of worldwide increase in temperature, and it includes greater temperatures, moisture, precipitation, condensation, and weather systems – along with variations in the occurrence and severity of these variables. It also threatens life on this planet physically and emotional. Climate change destroying city Karachi too. In 2015 Karachi faced deadly heat wave any around 1200 died. Pakistan's government take action to control global warming but it's not enough caused a city over 14.91 million (2017), it will need more attention and take action to control the situation of global warming. We can also control consequences of global warming by adopting and reducing few things from our Life otherwise our future will be dark as a black hole in space.

KEYWORDS

Global warming, Climate change, Earth, Karachi's Heat wave, Global challenge, Action control, Consequences, Diseases, Destroying.



INTRODUCTION

However according Bruce D. Smith, "The measures implemented about over the upcoming decades as food production cityscapes restored untamed flora and fauna communities are significant compared to these other influences of global change, even though they were not as abrupt as those brought about by a meteor strike just at Cretaceous-Tertiary boundary billion years ago or as significant as those brought about by extending glacial ice in the Pleistocene." (Lackner, 2017)

A climate is an atmospheric layer that surrounds the Entire planet. It protects the Planet's surface from the effects of solar rays while also preserving the o₂ we consume.

The atmosphere is primarily present in the air, but it also comprises smaller amounts of other substances, such as those sometimes referred to as "ozone depleting chemicals." Freshwater, methane, nitrous oxide, carbon dioxide (CO₂), and fume are each of the one is ozone depleting chemicals.

The sun shines down on our globe, warming its outer layer. Heating then, at that point, emanates from the surface. Researchers have shown indisputably that ozone depleting substances trap a portion of this hotness up on environment.

Lately, the groupings of ozone depleting substances in the air have expanded quickly, especially co₂. This increment in co₂ has been bring to mostly by its consuming of charcoal and fuel as well as gaseous petrol – known as the 'petroleum products'. All over the planet, petroleum derivatives are utilized by individuals as an advantageous fuel for transport and power age. They additionally give heat in homes when they are singed, and are utilized in modern cycles. The getting free from woods land all over the planet has likewise added to its progressions as an environment: bush ingest whenever those emit of co₂ develop, deliver ozone depleting substances assuming Trees are badly damaged so either singed or discarded.

Co₂ levels are currently approaching once in a while they were during the dawn of the modern period roughly two centuries earlier. The further co₂ in the atmosphere, the more heat is trapped, and the hotter Earth becomes. The rising global temperatures over the world's properties and oceans is referred to as "an abnormal weather change."



A harmful climatic aberration, indicated by the expansion of normal atmospheric conditions close to the crust of the ground over a few millennia. Since the mid-twentieth century, environmental researchers have compiled itemized impressions of many climate peculiarities (such as warmth, moisture, and storms) and connected environmental repercussions (such as sea flows and air substance arrangement). This data shows that the world's environment has changed throughout nearly every feasible timescale from the beginning of geologic time, and that the impact of human activities has been deeply woven into the real pattern of climatic change since at least the commencement of the Modern Insurgency.

The scenarios mentioned shown are development in a way clusters of certain following pollutants, known as ozone depleting compounds, that have been injected into the lower environment in increasing amounts as a result of the usage of crude materials for manufacturing, commerce, and private employment.

Currently, an increase in the extent of the claimed nursery influence, a warming of the Planet's surface and lowering weather caused by the abundance of aqueous haze, CO_2 , methane, gaseous pollutants, and other ozone-depleting compounds, is causing an Earth-wide temperature increase.

The IPCC said in 2014 that environmental CO_2 , methane, and N_2O concentrations surpassed those recorded in ice cores dating back thousands of years. Weather changes on a daily basis are unavoidable; they are an integral part of human life. A region's climate is defined by its climate is classified over a period of a few months, seasons, or years. Climate change is something we're all too familiar with. Summers are classified as moisture, and winters are classified as warm, thunderous or chilly. In the Land of roses, as with several other places worldwide, every time of the year is differed from the last seasons of the year, the following year won't be precisely repeated either. The majority of these differences are things we accept as normal, but they add a lot of diversity to everyday existence of human. The majority of the world's worst disasters are caused by weather or climate change. Tropical cyclones (also known as thunderstorms or cyclones), windstorms, dry spells, hurricanes, and floodwaters, which have slower effects but are perhaps the most catastrophic disasters of all, are continuously brought to our attention by our news media when they occur in various regions of the world. (Houghton, 2004)



Entire world is becoming blistering. All inland and coastal temperatures are currently higher today than they did when records began in 1880, and the trend continues. This increase in temperature is an unusual weather occurrence.

The prolonged rise of the planet's overall temperature is an unnatural weather change. However, the usage of petroleum derivatives has contributed to the long-term rate of warming, which has seen a sharp increase in speed during the past century. As the human population has grown, so has the demand for petroleum derivatives. Petroleum derivatives contain coal, oil, and combustible gas, and their consumption promotes the "Greenhouse reaction" in the atmosphere. An increase in global temperatures has resulted in a new problem known as environmental change. These idioms are sometimes used reciprocally, but they are always distinctive. Environmental change refers to shifts in climate patterns and changing seasons around the world. It also refers to the rise in ocean levels due to the expansion of hotter waters and excreting ice sheets and frozen masses. Environmental change is a new concern that has arisen as a result of rising global temperatures. Although these idioms are occasionally used interchangeably, they are always unique. Climate change and shifting seasons are examples of environmental change around the world. It also causes a rise in water levels caused by warmer seas expanding and detoxifies glacial ice and frozen masses. The oddity of a constant expansion in heat near to the surface of the land is a harmful atmospheric aberration. This anomaly has been seen during the previous several centuries. This modification has thrown the earth's climatic example off. In any event, the concept of a severe environmental variance is very speculative, but the researchers have provided useful information on the subject of how the earth's temperature is steadily rising.

Since the Modern Unrest, the global annual temperature has risen by considerably greater than 1 ° C, – approximately 2 °F. It climbed on average approximately 0.07 ° C (or 0.13 ° F) at periodic intervals in the middle of 1880 and 1980, the era in which comprehensive documentation began. Regardless, the rate of increment has accelerated considerably since roughly 1981: Each decade during the average yearly temperature has increased by 0.18 °C (0.32 °F) over the past 40 years.



GLOBAL WARMING'S IMPACT

Predicting the effects of global warming is one of the most challenging tasks facing climate scientists. This is due to the fact that a multitude of factors affect ecosystem functions like as precipitation, frost, thunderstorms, and arising in sea levels. Moreover, predicting the quantity of future greenhouse gas emissions is difficult because it's nearly determined from political initiatives and technological advancements. Many harmful effects of global warming have been mentioned here, but there are many more. Flooding would occur as a result of the environment's excess water condensate dissipating as rain. First, more liquid evaporation consolidates into rain, which brings an environmental catastrophe in many areas around the planet. As the weather heats, the draining cycle from both oceans gets worse. Where the increased evaporation is not countered by higher precipitation, drought occurs. In some areas of the world, especially in places where temperatures are already high, crops will fail and people will go hungry. Towns and populations that depend on the freshwater melted from ice ranges may endure drought and water scarcity. It's because glaciers all over the world are fast retreating, and ice melting appears to be occurring more quickly than initially anticipated. Approximately one-sixth of the world's population resides in regions where melting water levels will be impacted, according to "the Intergovernmental Panel on Climate Change (IPCC)". The rapid glaciation and snowmelt caused by rising temperatures, the catastrophic consequence of climate changes and rising sea levels. Sea level rise in rivers, lakes, and oceans will have the potential to cause flooding-related harm. The projected effects of tropical temperatures include an enhancement in heat waves, more intense rainfall, and a higher likelihood of extreme thunderstorms. (Shahzad, 2015)

Environmental change has significant ramifications for individuals and the normal earth. The following are some of the current effects of environmental change:

1. SWITCH IN OUTRAGEOUS HOTNESS

Heat waves are becoming more common as normal temperatures rise, and they will almost always be more intense when they occur. Without the recent warming of the world, some of the extreme weather events that we are currently experiencing would have been extremely unlikely. Increased temperatures also



make events like the recent bushfires in Australia highly likely and more dangerous. Because of climate change, several parts of the world, such as the Mediterranean and Focal and West Africa, are experiencing increasingly frequent and extreme dry spells.

2. EXPANDED PRECIPITATION

As temperatures have risen, hotter air consists of water, causing greater deluges more likely. This increased heavy precipitation may result in increased floods, causing property damage and putting lives at risk. There is evidence in the United Kingdom that a few specific climate events, such as the heavy precipitation in the colder months of 2014/15, have been made nearly certain by environmental change. Similar consequences are occurring everywhere around the earth. The record amount of rain which poured on Houston throughout Tropical Storm "Harvey in 2017 contributed to it becoming the second most costly typhoon to hit the United States since 1900". Environmental change has increased the likelihood of a catastrophic flood.

3. RISE IN OCEANIC ALTITUDE

Massive "ice sheets" are being driven onshore in "Antarctica" and "Greenland" by rising air temperatures, spread and spill off into the seas. The expanding volume of ocean water is being caused by the warming globe, similar to whether when heated, the liquid within thermometers expands. Worldwide ocean measurements are rising as a result of both of these phenomena. That start of the 20th century, the global ocean level has risen by about 2 inches. As a result, tempest floods — the rise in ocean level that occurs during extreme weather – are destined to exceed present ocean safeguards and trigger flooding. Because some densely populated urban areas are located in low-lying coastline zones around the world, this risk can affect a large number of people. This is most visible in developing countries such as low-lying cities like "Venice" and "Miami," as well as the nation of "Bangladesh," will be impacted. Rising oceanic measurement in Great Britain have exacerbated existing decisions to abandon coastal areas, such as the Welsh village of Fair bourn.



4. FOOD AND FRESHWATER RESOURCES HAVE TRANSFORMED

Changes in climatic patterns have had an impact on harvest productivity, or the number of grains like "wheat" that can be produced from a specific plot of land. Environmental modification has assisted the rise of yields in some parts of the world, but yields have not risen as quickly as they are affected by the environmental reformation. Availability of water for farming has equally disrupted in some areas, particularly downwards of liquefying ice sheets in places like the European Alps. For over 33% of the world's population, icy masses provide a key source of drinking water.

5. NATURE AND BIODIVERSITY ARE DISAPPEARING

Sea creatures is under stress due to the ocean's growing temperature. The coral population in shallow water on the Great Barrier Reef has recently plummeted by up to 50%. The ocean heat that wreaked on "the Great Barrier Reef in 2016" will be exceedingly rare before "the industrial revolution roughly 200 years ago", while in today's climate, on average, it is anticipated to occur once every 3 years. Ocean conditions like these haven't evolved in at least 65 million years. Climate change is also altering wildlife on ground, with several plant and animal species relocating to new locations as a result of warmth.

6. DISASTERS' HEALTH CONSEQUENCES

Weather events impact loss of life and damage directly and have significant indirect health consequences. Damage to local infrastructure, population displacement, and environmental change all have indirect effects. Direct and indirect consequences might include damage to healthcare system, psychological and social consequences, and a reduction in access to health-care services. Natural disasters have the following health consequences:

- a bodily ailment;
- a drop in nutritional status, particularly among youngsters;
- a surge in respiratory and diarrheal infections as a result of survivors being crammed together, frequently with insufficient shelter and clean water;
- consequences on emotional stability, that in some circumstances may be long-lasting;



- Groundwater or sewerage and drainage issues, demographic dislocation, and overpopulation all contribute to an increased prevalence of “water-related viral diseases”.
- Toxic material spills and spreading from collection and disposal facilities into flood waters. (McMicheal, 2003)

7. WINDSTORMS AND HURRICANES

Devastated and high-thickness populaces in low-lying and naturally debased regions are especially helpless against hurricanes, most of passing brought about by suffocating in the tempest flood. Because of a combination of meteorological and geological variables, as well as the inherent fragility of a low-paying, under-resourced populace, “Bangladesh”, has gone through the worst consequences tornadoes in the tropics in present millennium. Early warning frameworks that have been further improved have reduced the effects over time. In any case, Typhoon Mitch demonstrated the terrifying force of a bizarre event in such a location. Time ahead the climate predictions are difficult to make because of unpredictability, owing to its incomplete understanding the fact that climate change is happening as well as how much human activity is the primary cause. Politicians and other decision-makers must therefore weigh all unknown factors against the cost and acceptability of various steps that can be taken in order to concerns posed by the weather modification. Few mitigation actions, such as the development of programs to preserve and save energy, or any of the various plans for reducing deforestation and encouraging tree planting, can be performed quickly and at a low cost (or even at a net cost savings). Other steps, it will take time for both established and developing nations to make significant changes to their energy systems, such as switching to renewable energy sources like "biomass, hydro, wind, or solar energy". However, the extensive timeframes needed in the creation of new power generation and the climate's response to emissions of gases like CO_2 , it is critical to get started today. (Houghton, 2004)

Researchers have not had the option to nail down unequivocally how far temperatures will ascend for a given degree of CO_2 . Assuming we are unfortunate and the more cynical assessments are right, just quick and exhausting endeavors can stay away from a universe of mass passing, bombed states, and frantic despots with atomic weapons. Assuming we bet that the real



environment physical science will end up behaving no more awful than the center scope of current evaluations, we actually need to change numerous things. This work won't just guarantee a steady and prosperous future however in the momentary will reinforce the economy and work on day-to-day existence.

THE HEAT WAVE IN KARACHI AS A CASE STUDY AND ITS CONSEQUENCES

INTRODUCTION OF KARACHI:

Karachi City, with a land area of 3,640 km², is situated on the Arabian Sea coast in Pakistan's extreme south. Karachi the center of the Sindh, a Pakistani state. The two largest shipping ports in Pakistan, the Port of Karachi and Port bin Qasim, as well as the busiest airport in the nation are located in Karachi, which is on the "Arabian sea" and acts as a major transportation center. Karachi area, on the other hand, has indeed been settled over generations; the city was founded in 1729 as the revitalized town of Kolachi. Karachi is one of the quickest developing cities, with networks catering to almost every ethnic group in Pakistan.

Karachi has beautiful climate for most of the year. With a high relative humidity that varies from 58 percent in December (the wettest month) to 85 percent in August, Karachi has a generally temperate climate (the wettest month). For the natives, a relaxing evening breeze is a welcome and comfort. Over half of the year, the breezes in Karachi, especially the monsoons, blow from south to west. In the winter, the wind shifts to the east and north-east, keeping the temperature around 21°C. May and June are the hottest months, with average high temperatures of 35°C. The month of January is the coldest of the year. It is gloomy virtually every day throughout the monsoon season in July and August, with normally little rainfall. Year to year, however, there are significant differences. The average annual precipitation is 256 mm, but rainfall can be higher in some years, and it can rain extensively in as little as 48 hours. (Anwar, 2012)

There are currently a few different ethnic groups in this metropolis, which was previously primarily populated by "Sindhi and Baloch". The most diverse group is made up of "Muhajir," or Muslims, who speak Urdu and left India after the



1947 partition. There are large Pashtun and Punjabi communities in Karachi as well. There are also Dark African lineage networks known as "Makrani" and "Sheedi," whose ancestors were transported from Africa to Karachi as part of the Indian slave trade. The majority of the population is Muslim, but there is also small Christian, Hindu, Parsi, Buddhist, and Jain minority populations. Brutality and wrongdoing kept on tormenting the city into the start of the 21st century. Struggle between ethnic groups was additionally exacerbated by a quick convergence of Pashtuns from the north. In 2013 the public government sent off another tactical crackdown. That very year the common administration of Sindh authorized changes that decentralized the city's civil administrations and gave the territory extra oversight. Karachi saw an emotional decrease in wrongdoing before the decade's over, however disarray over who was answerable for financing and offering specific essential types of assistance left framework and sterilization disintegrates.

KARACHI HEAT WAVE AND IT'S IMPLICATION

In Pakistan, the months of May and June are the hottest. In recent years, warmer temperatures have increased in frequency and severity that might be attributable to the current weather modification and worldwide heat increasing. "According to a study conducted by the Pakistan Meteorological Department (PMD)", over the past ten years, there have been more days with extreme weather events. A warm spell is described as occurring "when the daily high temperature exceeds the normal highest temperature by 5 degrees Celsius from the system is the most widely of a region for more than five consecutive days," according to the "World Meteorological Organization (WMO)". By analyzing data utilizing remote sensing and GIS techniques, the climate parameter associated to heat waves, specific atmospheric settings, and urban heat island effect may be determined, using the unprecedented "Karachi heat wave of June 2015" as a research study. The increasing heat index and UHI effect were the main causes of the event's tardiness. The purpose of this initiative is to draw attention to the problem of declining environmental conditions in megacities that would worsen the negative consequences of the nation's changing climate. Heat waves have an impact on a wide range of individuals and organizations, including the general public, government agencies, enterprises, healthcare, services, commerce, agriculture, and infrastructure. As a result, extreme heat waves



exacerbated by the UHI effect are a major environmental concern in megacities. In the near global warming and climate change scenario, initiatives may be implemented to mitigate the negative effects of such phenomena. (Yasmeen, 2017)

Extreme heat is a hyper weather situation and the worst type of climate oddity characterized because an extended period of extreme heat, even when there is low humidity. No single term applies to "extreme weather events," it varies depending on local climate conditions and seasonal temperatures. Heatstroke is defined as hyperthermia above 41 degrees Celsius, anhidrotic, and a change in mental status. It's linked to a lot of dread and death, especially if treatment is postponed. According to health authorities, Pakistan's Sindh province was recently plagued by a devastating heat wave that killed more than 700 people in June. The majority of the deaths, which were primarily due to heatstroke and severe dehydration, occurred in Karachi over the course of three days. On June 22, mercury in the city reached more than 40 °C, with the mercury reaching 45 °C, just missing the city's record-breaking high of 48 °C set on May 9, 1938. The city's watershed was also damaged, preventing the syphoning of fresh water to customers. Hot humid weather is to be predicted even during summer time throughout Pakistan; however, the extreme temps were made worse by continuous power cuts that not only aggravated the heat but also damaged the city's water distribution system, hampering the syphoning of billions of gallons to customers. Furthermore, these events regrettably coincided with the sacred month of Ramadan, during which the majority of Muslims observe a 15-hour fast, throughout which drinking and eating are prohibited from dawn to dusk. Pakistan's public authorities, unaware of the magnitude of the problem, responded belatedly as well as improperly to the escalating crisis. The gravity of the situation could be gauged by the fact that the majority of doctor's facility Cemeteries and funerary houses of charitable government assistance organizations, such as the "Edhi", had been crammed to prevent heatstroke-related deaths. They wanted to speed up the process of interning unclaimed dead in order to create place in the mortuary, especially when the temperatures were so high.

Heat stroke occurs when the body's temperature rises drastically, and it can be deadly if not treated quickly and appropriately. The human anatomy's natural inversion arises quickly, perspire process collapses, & the human anatomy's



temperature has trouble in cooling off, resulting in a fever of 106 °F or more in few minutes.

The human frame produces feverishness as in a function of breaking down food and process, and it is mostly capable of releasing it by heat radiation through the skin or sweat evaporation. In scorching, humidity levels, or intense physical effort in the sun, however, the body will not be able to disperse the heat quickly enough, causing the body temperature to rise. Dehydration is also cause of sunstroke. Dehydration can make it difficult to sweat quickly enough to release heat, causing the individual's body temperature to increase.

Sweating profusely or not at all," accompanied by partial paralysis, heated, red, or inflamed skin, weakness or drowsiness, cold, a migraine, a burning sensation, and delusions." Are all common indications and symptoms of heat stroke? If not treated promptly, heat stroke can result in death, irreversible organ damage, or disability. Heat stroke is especially dangerous for infants, the elderly, sportsmen, and outside labors. (Chaudhry, 2015)

Recent catastrophic heat waves demonstrate that governments must shift their focus from disaster management to risk management, this must be completed in accordance with the Hyogo Framework for Action and the "new Sendai Framework for Disaster Risk Reduction (SFDRR, 2015-2030)" (HFA, 2005-2015). By tackling this increased risk caused by heat waves, "the Sendai Framework for Disaster Risk Reduction" may be successfully executed. This tragedy has also demonstrated that no national risk landscape can be constructed without taking into account the threat of heat waves. People who live in poverty, outside labors, the aged, and extremely teenagers are the most vulnerable groups, according to numerous studies. Life due to climate change and the worldwide average temperature considering heat waves' duration and magnitude. (Anwar, 2012)

Climate flimsiness exacerbated by environmental change is a significant general wellbeing worry with disastrous ramifications as far as dreariness, correctness and that is ordinary in "South Asian low-and center pays nations". So, handling the illness, hunger, and untimely mortality, large numbers of these nations have characterized every one of their residents as helpless. This status, as a weak populace, can bring issues to light with respect to the raised occurrence of numerous sicknesses in such areas and can draw in help from worldwide establishments like "the United Nations. In this vein, the United



Nations Sustainable Development Goals (UN SDGs)” financing can distribute prosperity from individuals impacted through increased warmth and mugginess in the city Karachi & then some. Natural elements and environmental change are driving issues and the UN SDGs intend to finish 17 objectives continuously 2030 to give harmony and flourishing to individuals and the planet. Inexpensive and green energy, clean running water and hygiene, cost-effective local areas and infrastructure, reliable usage and development, and environmental activities are among the 17 aims that would have a substantial impact on Karachi's overall well-being. These goals are well-suited but they should resolve Karachi's ecological and associated with environmental degradation through focusing on fundamental issues like as contaminated water, air pollution, a poor private foundation, and a lack of energy. With proper sewage and water disinfection, uncontrollable disease flare-ups might be avoided. With reliable usage and creation, respiratory and cardiovascular illnesses linked to oxygen toxicity would be decreased. Reasonable & sustainable energy systems would reduce heatstroke deaths.

The spread of contagious illnesses, environmental damage, and detrimental wellness consequences which effects the city of Karachi's environmental change. The city's weak citizens are being tormented by illness as a result of constant changes in the environment on the district's natural and social designs. The reasonable repercussions of environmental change pose a substantial threat to general well-being, and the creators urge experts to act quickly and decisively, particularly in the areas of reducing CO₂ emissions, furthering sterilization, and overall well-being. The reasonable ramifications of environmental change represent a significant danger to general wellbeing, and the creators encourage the specialists to make a quick and significant move, especially in the domain of diminishing CO₂ yield, further developing sterilization and wellbeing the board, around here.

DUE TO GLOBAL WARMING THE CONSEQUENCES IN THE CITY OF KARACHI

The following are the main elements that influence Karachi's atmospheric pressure variability:



European Upheavals:

These occur throughout the frigid months and result in drizzling, mild precipitation, and a decrease in temperature.

Steamy Thunderstorms:

These storms are frequent in the summer, from late April to late June, and then from late September to late November.

Southwest Monsoon:

From July through September, the southwest monsoon occurs. These monsoon rains are naturally intense and might result in catastrophic flooding.

Continental Air:

a notably dry air that dominates in the city when there is no precipitation. (Anwar, 2012)

These immediate impacts, changes in sea and climatic conditions in far off areas likewise sway the environment of Karachi, especially the rainstorm. Verifiable climate information at Karachi shows that in Karachi there is no critical change in the normal downpour in Karachi. Conversely, patterns in temperature information plainly shown a vertical pattern and expansion in normal temperature throughout the long term. Over the previous year's typhoons tend to repeat habitually however, most did not genuinely sway Pakistan's coast.

IMPACT OF CLIMATE CHANGE IN KARACHI

This Section examines the different likely results of conceivable environmental change situations set inside the setting of the vital weaknesses and environmental change variation challenges looked in Karachi City. While a thorough and itemized examination of all parts of the issues pertinent to the conversation was past the extent of the current Study a few significant subjects are contextualized in short inside an environmental change transformation system and design that it will be built beyond and more described for working with the advancement of a complete infrastructure. Effort has been made to normalize the configuration for conversation and investigation for every



conceivable environmental up gradation in a situation for evaluating outcomes & featuring in basic difficulties that will be distinguished.

Flood Storage Areas

This entails intentionally flooding some areas (such as parkland or sports fields) so other, more sensitive land uses are not flooded. This option is currently not being used in Karachi City, despite the fact that accessible green spaces are rapidly dwindling owing to encroachment and land use transformations through land grabs. (Anwar, 2012)

Assessing Hazards

The impact of a flooding is defined by just who is vulnerable to it, as well as whoever is susceptible to it. The first step in determining the ongoing flood risk is to consider the likelihood of a flood, the consequences of a flood, and the accompanying vulnerability to natural disasters of the individuals and resources that may be affected. The storm surge likelihood is mainly stated as a return period or an annual percentage that may change as Due to global warming, rising temperatures that currently occur once every 150 years will become more frequent and severe. May become a 1 in 100-year incident in the future, with potentially greater intensity. (Climate Change Evidence and cause update, 2020)

People and assets are at stake. It is difficult to develop a feasible flood risk zone for Karachi City in the lack of designated flood plains for either the "Malir" or "Lyari" river basins, as well as extensive and updated work on calculating the chance of flooding. However, there is no disputing that a considerable number of human settlements, including those comprised of vulnerable groups, as well as nationally significant institutional assets, are located in a prospective flood risk zone. (Climate Change Evidence and cause update, 2020)

Karachi has needed to confront metropolitan flooding occasions before and it can repeat. It is anyway hard to work out a likelihood and related power with any level of exactness inferable from genuine holes in information and related examination both as far as expected precipitation levels and the interpretation of extra precipitation into a metropolitan flooding occasion. The dangers while they can't be precisely evaluated as far as uncovered and weak individuals and resources there is adequate signs that dangers can be very considerable. The



possible individuals and networks liable will be in the “deluge peril zone” and in addition, he fits the characteristics of someone who is extremely vulnerable. These resources in danger level altogether in nearby as well as public level as far as their commitment to the public economy and development. Issues connected with the manner in which we are making due the city land and establishments further confuse and amplify a generally existing danger.

HOW THE GLOBAL WARNING AFFECTS THE WORLD

Climate change is constant. Why is climate change causing so much alarm right now?

The biggest international temperature variations in Humankind's recent geological past have been the glacial period cycles, which feature long, cold glacial epochs and brief, warm epochs. In recent times, these natural variations have occurred approximately every two thousand years. They are mostly caused by small variations in the Earth's orbit, which affect how the Sun's radiation is dispersed throughout the world according to latitude and season. Big earth's weather shifts, is caused by humans or the environment, are disruptive. Pale climatic changes have caused population migrations, dramatic alterations in soil properties and ocean circulation, and the extinction of many species. In the past few hundred years, these orbital deviations have been very small, and they are not even close to being able to explain the observed rate of surface warming since "the Industrial Revolution," much alone have any effect on the entire planet. On ice-age timescales, these progressive orbital modifications have altered the size of icecaps and the concentration of "CO₂ and other greenhouse gases," exacerbating the initial temperature decline. It is more impossible for human cultures as well as the nature of reality to adjust as a result of climate change because it is occurring more quickly than most prior occurrences. (Wang, Chameides)

From the phase of the "end of the last ice age", the global average temperature has increased by 4 to 5 degrees Celsius (7 to 9 degrees Fahrenheit). That shift took place over a time of "7,000 years, beginning 18,000 years ago." Since the 1970s, Dioxide levels have increased by far over 40% in less over 200 years, which has caused by the changes in the earth's energy balance brought on by humans. Which have warmed the globe by roughly 1°C (1.8°F) to this point. If



CO2 levels continue to rise unabated, warming on par with the ice age's extension can be expected before the end of this century, if not sooner.

Why, if the world is warming, do some winters and summers remain miserably frigid?

Despite being a historical pattern, climate change doesn't quite indicate each year is worse as compare to the last. Even when the climate warms, there might occasionally being severely chilly days in a row, winters, and summers due to daily and annual variations in climatic circumstances. Changes in air circulation, the scope and nature of natural climate variability, and regional weather patterns are all examples of climate change. It also includes changes in the average world surface temperature. Occurrences of La Nia change weather patterns, resulting in cooler summers in some places and wetter summers in others. Stronger winds from the poles may contribute to a colder winter on occasion. Similarly, the continuation of one atmospheric circulation pattern, the Baltic Sea Disturbance, has contributed to a number of recent harsh winters in "Europe, eastern North America, and northern Asia." (Agarwal, 2003)

As the Earth warms, meteorological and ocean flow examples will become more prevalent, affecting storm paths and other aspects of the climate. Warmer days and seasons, as well as fewer freezing days and seasons, are more likely as a result of a global temperature increase. For example, in the North American Continent, there were more daily exceptionally low temperatures in the 1960s than there were record highs, even though there were closely twofold as many instances of this in the 2000s. Highs as evidences are lows. Heat waves have been more often in enormous region of "Europe, Asia, South America, and Australia" over the past many years, indicating that the odds are changing. Heat waves in the sea are also becoming more common.

KILLER HEAT WAVE

Extreme heat choose that which ravaged "Europe in July–August 2003" may have already doubled as a result of human-caused global warming. 16 Strong data suggests that this summer in Europe was the hottest in at least 500 years. 17 In many countries, all-time high temperature records were broken. On August 10, the temperature in Gravesend-Broadness, Kent, reached 100.6°F (38.1°C), surpassing 100°F for the first occasion ever in the country's history.



18 On August 8, Germany set an all-time high of 104.4°F (40.2°C). (Climate change science)

More than several thousands of people have because of the intense heat, perished, shattering every previous document for warmth-related individual deaths around the world. 14,000 people were slain in France. Aside from injuries and medical costs, the extreme heat and accompanying dry season and out-of-control fires caused “Economies in Europe total more than \$14.7 billion (13 billion euros)” losses in horticulture, public service, and power generation sectors. In 2003, India was also affected by a severe heat wave. In May, temperatures in the worst-affected areas reached 122°F (50°C), resulting in the deaths of almost 1,200 people. 24 Only five years prior, in “April–June 1998”, India saw the worst heat wave in its history, with an estimated 3,028 deaths. In 2003, India was also affected by a severe heat wave. In May, temperatures in the hardest-hit areas reached 122°F (50°C), which caused the mortality of about 1,200 individuals. 24 Only five years prior, in April–June 1998, India saw the most devastating heat wave in its history, with an estimated 3,028 deaths. In many Indian states, the temperature reached dangerously high levels.

How can we determine each country's share of blame for the build-up of gases such as co₂ and other poisonous fumes in the surroundings?

Clearly every idea of supportable improvement requests that people on the whole don't deliver more “co₂ and methane” than the world's current circumstance will be ingest. The inquiry is the way should this worldwide normal. Across worldwide “carbon dioxide and methane” emission can be shared among individuals of the planet? A few examinations on an Earth-wide temperature boost issue have contended, and we contend ourselves, that in a world that tries to such grand goals like worldwide equity, value and manageability, this fundamental worldwide normal ought to be shared similarly on a for each.

1. Natural co₂ and methane sinks have been assigned to each country based on population. These figures are then used to calculate each country's permitted emissions. Because there are no natural sinks for CFCs, no allowable CFC shares have been estimated.
2. The total co₂ and methane emissions of each country (as calculated by WRI) were then compared to its acceptable emissions (as



- determined by CSE) to determine the number of emissions that exceeded the permissible emissions.
3. On a population basis, countries like "India and China" have swapped their unused allowed emissions with the excess emitters.
 4. To find out the amount of each country's net carbon dioxide and methane emissions to the atmosphere, the allowable emissions traded from low emitting nations were reduced from the revealed that the vast majority of each country.
 5. By combining the net emissions, the total greenhouse emissions were calculated. (Wang, Chameides)

SEA-LEVEL CHANGE AND RISE

Many variables in the global environment influence the coastline, which work on time spans tidal from a few hours to thousands of years (alterations in sea floor due to erosion and faulting). On a time, range of decades to centuries, some of the main effects on the average sea level are linked to environmental modification. Ocean water expands as it gets hotter. Actual measurements of sea surface temperatures and model outcomes, thermal expansion is assumed to be one of the main causes of historical sea-level increases. Furthermore, it is anticipated that most of the sea level rise within next 100 years would be caused by thermal expansion. Because deep ocean temperatures change slowly, although if gags in the atmosphere emissions were to stabilize, thermal expansion would last for centuries. Irrespective of whether you're, the warmth and amount of water impacted varies. Additionally, hot water spreads far beyond colder water for just a similar change in temperature. The spatial pattern of sea-level change is caused by changes in thermal expansion, salt, winds, and ocean circulation. The range of geographical variation is large when compared to global average sea level rises. (Houghton, 2004)

Whenever the water volume in the maritime accelerate and fall, the sea level changes as well. This occurs when seawater is exchanged for ashore-stored water. The water locked in glaciers complexes or ice sheets is a substantial land store. Without a doubt, the prime cause of low ocean levels throughout the previous cold era was how much liquid was saved in the massive enlargement of polar ice on the Northern portion landmasses. Following a period of warm development, the dissolution of mountainous frozen masses & frost coverings



is look forward to contribute most to the long-term rise in ocean level. These glacial masses and ice covers make up just a small percentage of the globe's glacier zone, yet and they're in colder areas with less rainwater and slower dissolution rates, they are more susceptible to environmental change than the massive arctic ice in "Greenland and Antarctica." As a result, it is anticipated that over the coming decades, the enormous ice sheets will only have a minor impact on the shift in ocean level.

WILDFIRES AND LOSS OF FORESTS

Global warming is expected to contribute to an increase in wildfires in numerous ways, according to scientists. As mentioned in the previous section, some regions are expected to experience more frequent and severe storms. Huge wildfires thrive in situations of hot sun and an absence of precipitation. Additionally, longer fire seasons are linked to longer warm seasons. Bugs which depend on trees are more likely to spread as a result of extreme heat, which also kill several of its victims and increase the amount of dry wood available for forest fires. There is an increase in the number of insects in previously too-cold places. More than 4 million acres (1.6 million hectares) of forest were destroyed in south-central Alaska during the 1990s by the largest documented epidemic of spruce bark beetles. a region that is approximately the size of New Jersey. Since 1994, the Yukon has been the site of the biggest and therefore the northern pine beetle outbreak in Canadian history, affecting 750,000 acres (300,000 hectares). (Shahzad, 2015)

With this mix of hotness, dry spell and irritations, fierce blazes have become progressively disastrous in late many years. Admits the hard-hit areas are the colossal plots of "Arctic tundra" and "pine woodland" spreading over (Alaska, northern Canada, Scandinavia, and Siberia). In the Arctic locale of "western North America", the region consumed every year has multiplied in the course of recent years. Similarly, as with dry season, fierce blaze will be intensifying by itself through the cycle and if the environment template foresees, out of control fires keep on expanding in recurrence and intensity, the sum of CO₂ delivered in the climate through consuming the amount of plant and soil natural matter consumed by replanting backwoods could exceed the amount consumed by replanting backwoods, boosting the nursery effect and perhaps causing substantially more flames in a destroying cycle.



How world's health effect a result of anthropogenic climate modification?

Global weather modification, according to the IPCC, have a variety of negative consequences on public health. Overall, adverse effects are anticipated to outweigh positive effects. Health will be significantly impacted by commute in the event of severe warmth, frost, storms, earthquakes, cyclones, disasters, and other types of adverse weather. Due to the disruption of ecological and cultural processes brought on by weather modification, alterations in the transmission of communicable diseases, agricultural preparation, carbon emissions, mass migration, and certain communal shocks would also have an effect on individuals. High-confidence health effects of climate change include an increase in heat-related mortality and morbidity, a decrease in cold-related mortality in temperate zones, and a rise in the occurrence of disease transmission accompanying severe weather events. Major health effects of population displacement brought on by rising sea levels and an increase in storm activity. It is possible to pinpoint populations that will be especially susceptible to disease and harm as a result of all the predicted effects of climate change. People who live in socially isolated cities, elderly people, and the poor, for example, will be particularly susceptible to heat waves. The populations most at risk include those living in areas where dengue and malaria outbreaks are already present, as well as those who lack access to quality health services. Understanding of the connections between environmental, extreme weather, and public health has significantly increased over the last ten years. According to the IPCC report. However, there are still a lot of unknowns. There are numerous gaps in our understanding of the susceptibility, adaptation, and exposure of physical, ecological, and societal structures to climate change. (Climate change evidence, impact & choices)

Environmental modification even has an effect on individuals and communities in a number of ways, including the occurrence of more rising temperatures like extreme heat, tornadoes, and river flooding, the interruption of food supply chains, the spread of parasitic infections and other illnesses that are food-, and water-borne, as well as emotional health problems. Environmental change is also threatening a number of the psychosocial components of well health, including employment, stability, including opportunity to care and health services. The most vulnerable and burdened, including women, children, ethnic minorities, vulnerable networks, travelers or displaced persons, more



established populations, as well as those with basic health problems, are disproportionately affected by these environment-related health risks.

In spite of the fact that it is unequivocal that environmental change influences human wellbeing, it stays testing to precisely assess the scale and effect of numerous environment touchy wellbeing hazards. Nonetheless, logical advances continuously permit us to credit an increment in grimness and mortality to human-instigated warming, and all the more precisely decide the dangers and size of these wellbeing dangers.

EFFECTS OF GLOBAL WARMING ON LIVING THINGS

The wellbeing of living organisms might seriously be impacted negatively by anthropogenic climate change. Stress can be caused by humidity and contribute to cardiac issues and hypertension. As a direct outcome of rising temperatures, severe droughts & mass starvation can weaken the human body's resistance to infections and diseases. Numerous disorders may expand to other locations if people move from upland ground to lowland regions as a planet warm. Large-scale cholera outbreaks and serious illnesses in certain forms of shellfish may be caused by heated waters and other surface waterways. (Houghton, 2004)

Dehydration, a major contributor to kidney stone formation, is known to occur in hotter climates." The Children's Hospital of Philadelphia's medical staff "examined weather information as well as the medical records of nearly 60,000 Americans. They found that persons were always more susceptible to illness for kidney stones three days after their temperature spiked. Since 1994, the prevalence of kidney stones has increased from the one in 20 to one in 11 people. This trend is anticipated to persist as the world warms. According to "Luis Ostrowski, M.D., of the Division of Communicable Diseases at The University of Texas Health Science Centre at Houston Medical School and medical director for epidemiology at Memorial Hermann-Texas Medical Center, "Valley fever is one pathogen that is definitely generating a peculiar pattern." According to him, we used to only detect this fungal infection in California, Arizona, New Mexico, and occasionally Texas. However, we discovered for the very first time in Washington State the year before. Californians were worried about any of this potentially fatal illness whenever the number of cases sharply increased between 2010 and 2011. (Chaudhry, 2012)



West Nile Virus, the most well-known fruit fly's illness, which recently experienced a marked rise in incidence. The 2012 late spring West Nile season was the worst on record, according to the US Centers for Disease and Prevention. The most likely culprits were the parched drought and the sweltering summer heat. Due to changing weather patterns and dust storms throughout the dry season, the number of cases of valley fever has increased. The disease's spores can be transported by wind and dry soil. It is anticipated that the quantity of washing needed to convey this illness would grow in far more moist and drier locations. Scientists have noticed an upsurge in mosquito-borne illnesses including dengue infection and intestinal ailment as a result of the longer and hotter summers.

Indirect consequences of global warming on food manufacture and distribution: Environmental change will have a global impact on food production. Because oat grain production the majority of studies to date has centered on it as a crucial measure of full food production because it makes up more than 70percent of the entire of the world's dietary energy. The likelihood of reduced food yields is highest in agricultural nations, where an estimated 790 million people already suffer from malnutrition. People who live in restricted locations with restricted access to city centers will be more sensitive to local food shortages or disruptions. Climate change's impact on agriculture could jeopardize global food security. Although a rise in CO₂ levels in the atmosphere encourages the development of several vegetation, it does not always imply more food. Higher temperatures cause crops to develop more quickly, resulting in shorter growth seasons and less time to yield grains. In contrast, a rising temperatures will bring new risks, such as increased water pressure and the potential of higher temperatures damaging crops quickly. Agricultural effects will differ by region and crop. Moderate warming, along with concomitant CO₂ rises and changes in precipitation, is predicted to boost crop and pasture lands in the medium to high latitudes while lowering yields in the drought - prone and low-latitude areas. (Chaudhry, 2017)

HUMANS' INCREASED USAGE FRESHWATER SOURCES

The global water cycle is one of the most important aspects of the weather structure. The land surface, the environment, and the waterways all exchange water. It is the primary way by which energy is transmitted to and within the



atmosphere through evaporation and condensation. Water is necessary for all kinds of life; the tremendous variability in water availability is the fundamental cause of the variety of biological diversity on Earth. The jungle teems with life of enormous diversity in damp tropical woods. In drier locations, there is limited flora of the type that can live for long periods of time with little ocean; creatures are likewise effectively suited to a harsh climate. Humanity also depends heavily on groundwater, which is required for drinking, food production, health & cleanliness, manufacturing, and transit. The means of subsistence have been discovered by mankind could be modified to a wide range of water supply conditions, with the exception of the fully dry desert. (Chaudhry, 2017)

The pressure on natural resources has increased significantly as a result of rising population levels and a drive for rising incomes. Water use has more than tripled in the last fifty years around the world. Currently, agribusiness uses 66 percent of human water, much of it for water systems; industry uses roughly a quarter; and just around ten percent is used locally. Water that has been stored in underground springs for hundreds or millennia is gradually being accessed for use as a source of momentum. With such rapid growth in interest comes a massive increase in water supply vulnerabilities. The amount of clean water available and used for consumption directly relates to how water-focused on a nation.

PAKISTAN GOVERNMENT'S ACTION ON GLOBAL WARMING

The Pakistan's Characteristics

The country has a wide latitudinal range, "as from Arabian Sea and the Gulf to the Himalayan Range" mostly in northwest. Both the subtropics and the moderate region are present. These regions are home to about (1.2 billion) people, many of whom are likely to experience the effects of climate change. Storm surges and flooding are perhaps the most potential consequences of climate change as several individuals gather in low-lying beaches or river deltas. With a wide geographical and chronological variance in environmental indicators, the majority of Pakistan has an arid to semi-arid climate. For Pakistan, the monsoon season is a significant hydro-meteorological source, accounting for 59% of the country's annual precipitation. Winter precipitation



is mainly in the form of snowfall in the vastly larger Himalayan foothills above 35°N. Glacial liquefies contribution guarantees that the rivers are perennial every day of the year. (Farooqui, Hayat)

Seashore environment is restricted to "a little stretch towards the south and southeast along the coast", while most mountain environment in the north transitions from damp to dry. The environment is wide of tropical mainland nature in the midst.

Because of its reliance on environmentally delicate industries like agriculture and prison operations, as well as the risk of flooding to its minimal, thickly urbanized deltas, Pakistan is especially sensitive to natural change. Since the turn of the twentieth century, Pakistan's annual mean surface temperature has been steadily rising. A rise in the average temperature.

Pakistan's Policy to Counter Climate Change:

To guarantee that environmental modification is often used in the economically and politically underdeveloped regions of the nation and is intended to point Pakistan environment versatile.

The following are the primary goals of Pakistan's weather modification policy:

1. To achieve sustained economic growth simultaneously tackling the issues related to weather modification;
2. Including other related policy strategies in the weather commute policy;
3. Should priorities sexual identity adjustment that benefits the disadvantaged while simultaneously encouraging mitigation to the best of its ability in an outlay way;
4. In order to safeguard the nation's power, agricultural, and coastal protection in light of the challenges extreme weather events;
5. Reduce the dangers brought on by the anticipated increase in the occurrence of extreme climate variability like storms, cyclones, and tropical storms;
6. To enhance international expert cooperation and decision-making processes related to climate change.
7. To make it easier to take advantage of the opportunities, particularly financial ones, that are accessible on a national and worldwide level;
8. To stimulate public and private sector investment in adaption measures by developing adequate economic incentives;



9. To improve stakeholders' awareness, skills, and institutional ability;
10. To encourage natural resource conservation and long-term viability.
(Farooqui, Hayat)

Weather Commute Modification by Pakistan

Pakistan creating a minimal commitment to reduce earth's ozone - harming chemical inflows (among the lowest on the planet), but it is among the most fragile nations in the world to changes in an environment, with extremely limited technical and financial resources to mitigate its negative consequences. It is critical to lay the groundwork for Pakistan to face this new challenge and press on an advancement the way to accomplish the objectives listed in the Development Organization's agenda 2030 report. Although Pakistan is struggling with a methodology which aims to monitor energy, enhance energy production, and enhance gasoline blending in order to aid global efforts to reduce GHG emissions, the most pressing and time-consuming duty is to plan for environmental transition. Simply through developing and implementing appropriate transformation estimations, the country would be able to guarantee the security of nutrition, medicine, and power as well as decrease the negative effects of frequent calamities on humanity, well-being, and assets.

Pakistan's Greenhouse Gas Emission Profile

The report cautions that the present international agreement to limit global mean temperature rise to 2° by the middle of the century, global emissions must be reduced from 2010 levels by 40% to 70%, and to near zero by the end of the century, in order to return to pre-industrial levels. Global greenhouse gas (GHG) emissions have increased to an unprecedented level despite efforts made around the world to reduce them, according to the IPCC Fifth Assessment Report (AR5). Global surface temperatures are expected to increase by 0.3°C to 1.7°C (0.5°F to 3.1°F) for the lowest emissions scenario using severe reduction, and by 2.6°C to 4.8°C (4.7°F to 8.6°F) for business-as-usual carbon intensive emissions during the twenty-first century, according to climate model projections. As per Pakistan's GHGs inventory, the nation's total GHG emissions in 2011–2012 were 369 million tons of CO₂ equivalents (MtCO₂e). Of these emissions, energy accounted for 45.9 percent, followed by agriculture and livestock (44.8 percent), industrial processes (3.9 percent), and forestry (2.6



percent) of land use change. Since 1994, the major GHG polluters have been the power and agriculture livestock industries, which together account for 90.7% of all emissions. Pakistani has already created four inventories of GHG emissions. The first was created by the Asian Development Bank (ADB) for the budget years 1989–1990, while the second was supported for the fiscal years 1993–1994 by the Global Environment Facility (GEF). At the demand of the Pakistan Development Agency's Task Force on Climate Change, the Pakistan Atomic Energy Commission created the third one for 2007–2008, and the Climatic commute Impact Studies Center (GCISC) created the inventory for 2011–2012. (Chaudhry, 2012)

What are the Vulnerabilities to Pakistan's Climate?

According to "the Intergovernmental Board on Environmental Change (IPCC)" Fifth Assessment Report for Asia, aversion to environmental change risks in agriculture-dependent economies (such as Pakistan) is caused by "geology, segment patterns, financial factors," and the absence of a flexible limit. These factors, when combined, determine the weakness profile by maintaining a never-ending problem of debt. Environmental modification estimates for South Asia reveal that warming would likely exceed environmental commute will affect precipitation patterns and the rate at which ice formations collapse, particularly affecting the time and intensity of storm precipitation. This will thus severely influence the usefulness and effectiveness of water-dependent businesses, such agriculture and energy.

Climate Change Organizational Structures in Pakistan:

The need of strong institutions in addressing climate change is widely accepted, as is the role of strong institutions in mainstreaming the socioeconomic laws and services face a problem. Checks and balances support climate resilience &, as a result, help to modify the system by increasing resilience. Nevertheless, poorer countries, such as Pakistan, have inadequate and poor legal institutions, which result in bad governance. The institutionalization of environmental issues in Pakistan does have its origins in the early green initiatives from the middle of the 1970s. Pakistan legally ratified 14 international environmental agreements between 1971 and 2001, including the Kyoto Protocol and the United Action Plan on Climate Modification, which acted as impetuses for the



nation's policy and climate change initiatives. Establishing institutional frameworks to direct the nation's environmental initiatives has advanced significantly. However, these efforts are still fragmented after more than four decades, with little collaboration, public influence, and accountability. (Babar, Tazyeen, 2021)

Just after the eighteenth change in constitution was passed in 2010, the Service of Climate was declined to the regions and another Service of Calamity The board of directors was formed (in 2011.) The Service of Environmental Change was renamed in (2012), elevating the problem of environmental change to a bureau level responsibility. The Division of Global In 2013, the status of global warming was downgraded to that of "the Bureau Secretariat," where it stayed until the middle of 2015, when it was given the status of a service.

Weather modification Expected Consequences in Pakistan:

Climate change adds to a country that is already overburdened with resources. The intensification of the region is expected to have an average increase temperature, monsoon circulation, volume, and frequency of extreme precipitation. One of the effects of the changing climate will be sea levels. The country's ecosystems and diversity, hydrological and water supplies, crops, timber, and aquaculture, highlands and coastlines, urban expansion, and healthcare might all be significantly impacted by these changes. (Yasmeen, 2017)

Marine Life and Reforestation:

Tropical forests are just now beginning to feel the effects. Pakistan, which will be the least affected by rising sea levels, will face a shortage of mangrove woodlands, which are a source of firewood and food for local residents, as well as a good environment for shrimp, which accounts for 90% of Pakistan's main fish export. Agriculture Harvests that are sensitive to the environment, such grains, various seeds and nuts, veggies, and flavors, are crucial. That is really no denying that Asian farming production have developed to support a variety of ecological concerns stemming from the region's lengthy period of mankind habitation and territory change. If such versatility can continue in the context of global change, financial and population shifts is debatable, despite the fact



that cycles of continual adjustment to evolving natural conditions are predicted to continue.

Tropical cyclones:

It has the potential to be more unusual. When combined with rising sea levels, this will increase the risk of fatality and property damage in tornado-prone areas like Southeast Sindh's beachfront low-lying zones. Hotter and wetter weather increases the risk of intestinal illness and dengue fever are two sweltering-related and intoxicating vector-borne diseases. Changes to the land's use and cover, as well as population pressure, would exacerbate the threat to biodiversity posed by climate change.

Water and Rural Areas:

It will most likely be the most vulnerable to environmental change. New water accessibility is predicted to be defenseless in the face of impending environmental modification while floods in river deltas would ultimately become more common and more intense. Districts that are dry and semi-arid may have significant water shortages.

Ecological Impacts of Global Warming in Pakistan

"Water is a crucial, limiting factor in the survival and expansion of various ecological systems". Wetlands, which are key natural water quality modifiers, are extremely vulnerable to climate change. Metals, fertilizers, and salts are frequently filtered away as water travels through a wetland. (Zaafir, 2021)
In any event, decreased water table levels reduce wetlands' assimilative and detoxifying powers. Drier conditions have also been linked to caustic pulse rate (which can lead to fish fatalities) and the accumulation of highly toxic methyl mercury.

Pakistan's Government's Climate Change Mitigation

In comparison to international norms, Pakistan's greenhouse gas (GHG) emissions are modest. In 2008, Pakistan's GHG emissions totaled billions of tons of carbonate. CO₂ accounted for 54%, Methane (CH₄) for 36%, Nitrous Oxide (N₂O) for 9%, Carbon Monoxide (CO) for 0.7 percent, and Organic Compounds Volatile in Non-Methane for 0.3 percent. (National Greenhouse



Gas Inventory, 2008). The energy sector is Pakistan's single greatest contributor of GHG emissions, making up around 51% of carbon output, next by farming (39%) and industrial activities (6%), followed by carbon output from forestry, land use, and land use change (LULUCF) (3%), and trash (1%). (Source: National GHG inventory 2008). (Zaafir, 2021)

For a result, each energy and agricultural sectors are the primary targets for relief efforts aimed at reducing GHG emissions. The convergence of environmental issues and energy plan aims is extremely important in the energy sector, because latest theory will "lock in" the groundwork, fuel, and developments to be used for a very long period. Furthermore, the current structure and transportation system should be sufficient to satisfy future plan requirements. Or something along those lines, more attention is being paid to resource efficiency requirements in design guidelines and the mercury of long-haul transportation planning.

Potential Efforts to be made in Reaction to Current Green Regulation:

Extreme weather events forecast uncertainty poses a serious threat to the living standards of the people and could have disastrous effects on morbidity and mortality. This is common of low- and intermediate countries in South Asia. Much of these countries have designated all of their population as vulnerable in order to combat disease, hunger, and premature mortality. This position as a disadvantaged populations can help raise awareness about the high prevalence of numerous diseases in these areas, as well as draw funding from international organizations like the "United Nations". In this spirit, money from the Sustainable Development Goals (SDGs) of the United Nations (UN) could be utilized to aid those in Karachi and elsewhere who suffer from extreme hot weather. "The UN Sustainable Development Goals (SDGs) intend to reach 17 of them through 2030 in way to spread freedom and harmony among people and the planet". Environmental concerns and climate change are significant challenges. (Houghton, 2004)

All aims are well-suited to the required to fulfill Karachi's natural environment modification challenges to addressing basic hurdles alike Pollution of the air and water, a weak private framework, and a shortage of power. Irritable illness episodes could possibly be better managed if trash and groundwater were properly sterilized. With reliable utilization and creation, respiratory and



cardiovascular illnesses linked to oxygen toxicity might be decreased. Reasonable & clean energy arrangements would reduce heat stroke deaths. Groundwater & disinfection, reasonable & solar power, controllable urban areas and networks, reliable usage and development, & environmental activity are among the 17 aims that would have a substantial impact on Karachi's overall well-being.

KARACHI'S CLIMATE IN THE FUTURE

"KARACHI, Pakistan, February 2 (IPS)" – Karachi, formerly a little coastal town, has evolved into country's most important trade & modern center, generating a significant percentage of State's tariff income. This region is also home to the share market, national bank, headquarters of the majority of banks, and important new international alliances. It also contributes about 42% of the nation's GDP. The previous capital has a population of about 17 million people who are culturally and religiously diverse, and according to a "2015 article by the Express Tribune", 1,000,000 Individuals move there from different metropolis and rural areas on a regular basis due of its abundant commercial opportunities. According to the World Untamed Life League-Pakistan, an increasing number of such travelers have been displaced as those who have been impacted by escalating dry spells throughout hotter regions, or those who have experienced an upsurge in disastrous storms brought on by liquefying glacier masses. In its "new Worldwide Environment Hazard File 2016" study, "German Watch", a German research organization, among the 10 leading nations severely impacted by environmental modification, Pakistan was ranked fifth. The primary gateway to Pakistan, Karachi, is likewise not immune to the effects of global warming. Indeed, the "thermal gradient," which causes the mercury should become 5-8 degrees Celsius higher at rural locations, makes urban populations, including Karachi, frequently more susceptible to extreme weather.

Deforestation, kilometers of road construction, and towering frame, according to "Zainub Al Rustamani", a smart urban planning analyst and developer, boost thermal resistance and impair airflow. "Industrial sources pollution, but also rising power utilization from an unchecked expanding economy in badly constructed yet heavily populated areas, all have a part," the report reads. According to local publications, the extreme heat wave that hit Southern



Pakistan in 2015 reached twice as hot as 49 °C, killing around 1,200 people in Karachi alone — an over in the country's recent history. Karachi is also close to "the Indus River Delta", which is where the Indus River empties into the Arabian Gulf. Sea levels are rising, and the floodplain is now almost parallel to the Arabian Sea. Dr. Amir Inam of "Pakistan's Institute of Oceanography" claims that this threatens the stability of the ecosystem since it results in landslides and increases toxicity of channels that flow through the Indus. He continues by stating that marine intrusion reduces the availability of fresh water and food security by temporarily and persistently flooding large land regions. Seagrass plants and aquatic species depending on freshwater are also put in an uncomfortable habitat as a result of this. According to research by Climate Change News, land grabs and rising sea levels are to blame for Pakistan's seagrass beds loss, which has decreased from (400,000 acres in 1945 to just 70,000 hectares) now. To make room for several coal-fired power facilities, 205 acres in all had been removed. (Climate change evidence, impacts & choices) "Mangrove trees can't stop twisters and tidal waves. Be that as it may, they in all actuality do go about as the primary line of guard against these regular disasters, limiting their harm, along the wild trees of mangroves death, the city's shoreline has become more inclined and cataclysmic events like typhoons and tidal waves. Whereas no giant waves have affected Karachi since after 1945, a drill depicting a significant seismic shake managed by Affiliated Nations cautioned that torrential seas could arrives Karachi in the "Indian Ocean" approximately in an hour and crash the entire city. There is currently no unambiguous clearing plan in place to prepare the city's population in the event of a crisis. The Port of Qasim Generator Project, which is based on the China-Pakistan Monetary Hall program and is now being built along the Bedouin Ocean's shoreline, adds to Karachi's stability.

However, the project, which was undertaken to help Pakistan's energy crisis, has had a disastrous impact on the lives of individuals who live nearby, as well as ruined one of country's core basic habitats, which many people Farming practices are essential to life along the coastline belt. Up to "80 percent of the people" have been effectively uprooted by these developments to almost 5,000,000 Pakistanis" who originally resided along the Delta's banks. Environmental strategy development has slowed in the country to this point, and the most recent key statute it was just passed annually ago to "high priority



steps intended to carry out actions on the terrain." Environmental legislation has previously been established, but pundits claim that only a small percentage of them have been implemented.

"Pakistan has sought to manage major catastrophes for a long time, ranging from structural calamities to psychological subjugation," Khan continues. "While there is no diminishing the gravity of those risks, moreover, one must realize the shadowy presence of another possibly obliterating threat. Only 34% of Pakistanis in a Gallup study taken in 2007–2008 were conscious of global change, but only 24% thought it posed a severe risk. However, by 2015 Pakistan had entered a shortlist 19 nations where the majority of the populace now believes environmental modification to be a key global danger. This list was prepared by Seat Exploration Focal point.

"To alleviate ecological hazards and prevent future cataclysms, the Pakistani policy should put on its response to environmental change," says Sarfaraz Khan, a natural lobbyist based in Pakistan. What's more, the Pakistani public believes it's possible to concentrate on rising temperatures when ordinary citizens are denied the requirements of existence and acute dangers for employment take precedence over lengthy, probably entirely unidentified hazards. Nonetheless, as a global temperature increase begins to touch daily life, this perception is shifting.

In a 2017 survey of 60 urban areas distributed by the financial expert Knowledge Unit, Karachi was named as one of the world's most dangerous cities (EIU). When it comes to surviving cataclysmic disasters, Karachi ranks higher than just five major cities in the worldwide. Every year, a number of people out of a population of 1,000,000 in Karachi die as a result of catastrophic incidents.

If no steps are natural forces will worsen Pakistan's sociopolitical precocity notwithstanding measures done to fight its impacts, with the reconfiguration of Karachi, the nation's economic spine, being the greatest long-term threat.

If sea levels continue to rise, Karachi might be swamped by 2060:

The "COP 26 climate change summit", which is being hosted by the United Kingdom, begins today (Sunday), with Pakistan and the United Kingdom cooperating closely on a better future for the globe. That occurs while the "26For26 campaign" of the Britain High Commission maintains to surpass its objective of getting 26 Pakistani businesses to "agree to reducing toxins by



2030" and attaining negative net by 2050, according to the British High Commission. So far, twenty-eight businesses have signed up with over 25,000 attendees expected in Glasgow, involving international leaders, opinion leaders, and top enterprises, The Land of Roses is now hosting "COP26," which is the biggest foreign event worldwide. It will seek to keep global temperatures below 1.5 degrees Celsius and preserve the Earth and its inhabitants from the effects of climate change. Net zero targets currently encompass over 70% of the global economy, risen from around 30% whenever the UK took up the COP26 Chairmanship. The most defenseless countries in the world, like Pakistan, would gain from this. (Magwenzi, 2017)

The British isle now currently closely collaborating with Pakistan on environmental change, and this year will provide £7 million in award money and skilled assistance to help Pakistan meet its environmental change goals.

Islamabad is the world's eighth most vulnerable state to climate change. A few scientists warns that Karachi will be submerged whereas such trend of increasing ocean parameters continues could be completely submerged by 2060. By 2100, rising temperatures will have melted 36 percent of the ice blocks along on "the Hindu Kush and Himalayan ranges". The basic situation dictates that Pakistan, along with the rest of the world community, must respond quickly.

Earlier this year, the Land of Roses launched a new initiative in Lahore to encourage safer methods for producing bricks, which will improve air quality, lessen smog, and fight climate change. Under component of the brick kiln initiative introduced earlier this year, the UK will support a targeted training course on "Zig Zag" innovation for the brick industry to replace coal and reduce emissions. This initiative will be carried out in cooperation between the Government of Punjab, the International Center for Integrated Mountain Development, and the Brick Kiln Owners Association of Pakistan (BKAOP) (ICIMOD). (Lackner, 2017)

The specialists noticed that the temperatures in Karachi in 2021 have as of now been the most noteworthy in 74 years and by 2030, there will be a ten times expansion in the rising oceans levels and property harm because of beach front tempest will flood too.

From the year 2100, 36 percent of glacial masses along the "Hindu Kush" and "Himalayan" reaches will have vanished due to rising temperatures. The basic



situation dictates that Pakistan, along with the rest of the world community, must respond quickly.

Its Assembled Realm are currently collaborating alongside Pakistan upon that problem of environmental reform, and this yearlong will provide "£7 million" in award grants and skillful assistance to help Pakistan attain its climate risk targets.

CONCLUSION

The work under consideration has only scratched the surface of an extraordinarily complex line of reasoning and design research. A harmful airborne devotion seems to be a severe threat, and proper steps should be taken to deal with this challenging issue. Wildlife, flowers, and individuals are all having issues because of this issue. In relation to the hard reality of a planet temperature increase and the presence of human variables in it, the commonly used performance small region is in complete agreement. Floods could global anarchy will emerge from the dissolving of the polar ice caps. Increased sea levels will wreak havoc on farming and fishing operations. To begin addressing these difficulties, a few therapeutic improvements should be considered, utilizing alternative fuels and putting a stop to degradation, among other things. Innovative solutions should be put forth to permanently remove this menace.

REVIEWING OF FUTURE CLIMATE CHANGE:

Forecasting future climate issues first necessitates anticipating CO₂ and other gas wellsprings in petroleum products and land use, as well as sprayers. The quantity of carbon dioxide caused by and emitted into the circulation future petroleum product use will be determined by how much of it is absorbed by land and water. Land trades take place including the variety the ranges of moment, ranging between a few months and centuries for soil degradation in large sizes, and they are sensitive to environmental change. To begin addressing these difficulties, a few therapeutic improvements should be considered, utilizing alternative fuels and putting a stop to degradation, among other things. Innovative remedies should indeed put forth to get rid of this threat once and for all. Their foresight into the future is extremely perilous. Future environmental change is dependent on the current state of affairs for future



environmental radiative forcing, just as it is dependent on environmental responsiveness.

Global temperatures will not be evenly distributed across the globe, and it will be complemented by different climate changes. Feedbacks may be significantly bigger than their objectives (i.e., in places and seasons if there are high thermal variations). The ice-albedo feedback is an example of such geographically substantial effects. At high latitudes and higher elevations, decreased snowpack and sea and lake ice will be critical, particularly during the winter and spring. The concentration of humid air and precipitation will be higher in the presence of higher temperatures. Because of its linkages to other components of the biogeochemical and energy cycles, estimating the net ice-albedo reciprocal effect is difficult. Clouds may alter in order to increase or diminish the effect. Increased precipitation combined with warming at the ice and snow margins may diminish or enhance this effect, for example, minimize the level by raising snow levels where temperatures are below freezing. Changing the vegetation cover can also cause significant changes.

The understanding of the links involving weather patterns and human well-being is still in its early stages, and as a result, the effects of environmental change on human well-being are poorly comprehended. The costs, benefits, and accessibility of assets for transformation are also questionable.

Why should we intervene if the hazards of climate change are yet unknown? Given the inherent intricacies of the atmospheric system and the various behavioral, economic, and technical aspects that are difficult to anticipate into the future, more study will never totally erase uncertainties regarding warming. Uncertainty, on the other hand, is not a justification to do nothing, because there are several things, we currently understand about climate change about which we can take action. The following are some of the reasons for taking action:

- The early genuine measures to reduce its carbon footprint begin, the fewer the risks of rising temperatures and the less temptation it'll be to make massive, faster, and perhaps more costly reductions later. (Climate change evidence, impact & choice)
- On the other hand, many operations undertaken in response to environmental change could be redirected or scaled back if they prove to be more inflexible than necessary. Once demonstrated, some



environmental alteration effects will last centuries or perhaps millennia and would be bothersome even difficult to "correct."

- Every day all over the planet, significant ventures are being made in gear and foundation that can "lock in" responsibilities to additional ozone harming substance outflows for quite a long-time to come. Getting the pertinent impetuses and arrangements set up now will give pivotal direction for these speculation choices.

Reacting to environmental change is tied in with making decisions notwithstanding hazard. Any strategy conveys likely dangers and expenses; however, sitting idle may represent the most serious danger from environmental hazard & their effects. United States' environment decisions would made by chose authorities, bureau pioneers, people, what's more other chiefs the country over; and those decisions will include various worth decisions past the scope of science. Notwithstanding, vigorous logical information and investigations are an urgent establishment for illuminating decisions.

The Role of Children in Control the Consequences of Global Warming:

1. Establish student ecological unions that do projects and exchange information.
2. through encouraging professionals with knowledge of weather modification to visit and share their knowledge with students.
3. Conducting conversations, events, and dialogues on weather modification.
4. Studying how other communities and institutions are coping with or environmental protection.

Through information, kids can explain the causes and effects of weather modification to their friends, family, and neighbors. Tribes are given the tools they need to adapt to global weather modification in this way.

And while it might not be always simple to link certain incidents or behaviors to rising temperatures, the rise in their prevalence and magnitude as well as their concurrent occurrence all over the world offers deeper proof of this association. Almost the recent catastrophes would be the appalling & unparalleled in at least 100, 500, or 1,000 years. This shows that our planet is undergoing a highly rare event. The majority of the consequences that have



already observed are probably only the "top of the glacier". If we allow global warming to continue uncontrolled, scientists expect increasingly dramatic, catastrophic, and, in certain cases, irreversible consequences.

Different impacts of individual's movement, such as the layout of houses and base into weak areas, descending of seaside coast, & corruption of untamed life living space, can compound the harm brought about by an Earth-wide temperature boost. A worldwide temperature alteration has wide-going impacts on numerous parts of human existence. It compromises economies, lives and customary lifestyles.

Future Changes in Weather and Climate Extremes:

There is an agreement among researchers about thermodynamic cycles, the undeniably warm climate and its expanded limit with regards to dampness. In any case, there is another component that a few specialists accept is likely adding to outrageous climate occasions, for example, the floods in Europe this week and the new hotness wave on the west shore of the US and Canada, yet this still can't seem to be resolved convincingly.

It concerns the air flows, which guarantee that high-tension and low-pressure regions in Europe's mild scopes will more often than not continue on rapidly. Environment analysts, for example, Andreas Rat trust that the fly stream, a westerly wind that blows at a stature of around nine kilometers around the North Pole, has lost force lately, causing waves in what used to be a consistent wind stream.

These waves then, at that point, remain set up and they can, contingent upon where they are, cause outrageous hotness waves, for example, those we have found in North America, or cause floods" he said, clarifying that the floods brought about by the new tempest Bernd were the aftereffect of the way that tornadoes and anticyclones were not being pushed on so overwhelmingly and implied that a tempest could move in one spot.

Things to Combat Global Warming:

Get out of your car by walking, bicycling (running, skating, or moving oneself!) Driving a crossover or an alternative fuel is far worse for our planet's (and your own) health than walking or cycling. You might have a significant impact even if you only go on a few outings per week.



Take Public Transportation to Work:

Give public transportation a chance. Make a weekly commitment to use public transit to some extent. Visitors could also use your bicycle to travel to the closest bus station and more convenient. The majority of public transportation vehicles have cycle racks on the exterior. To rideshare with a partner, post a notice on your organization's release board. Taking public transport a few times a week, in any case, makes a difference.

Change an Illumination:

Replace regular lights whenever possible, use "compact fluorescent light (CFL)" bulbs. CFLs consume 66 considerably less energy than fluorescent lamps while having a far longer lifespan. If each household in America switched one light bulb for a CFL, 93 billion tons of ozone-depleting pollutants would be avoided, the equivalent of eliminating 7.5 million cars from the road. If you'd rather not be bothered by the shade light emitted by the bulb, replace it in areas where it won't make a difference, such as bookshelves, your carport, or spare rooms. In any case, changing only one bulb will have a significant impact. Install a plant: The right trees can be planted around your house or along the road to assist to disguise your home while also lowering your energy consumption during our hot summers. This is a characteristic of deciduous trees, also known as "shelter trees." Trees also add value to your house and will help you sell it faster. Above all, trees purify the air we breathe and improve the quality of life in our communities.

Diminish, Reuse:

Diminish mismanage by having to pick reusable products instead of consumables. Purchasing things with hardly any wrapping (considering the economical size when it looks to be whether it is suitable for oneself) will assist to decrease waste. Utilize West Hollywood's household reusable program, as well as our multi-family recycling. If your workplace or school does not have a recycling program, find out how to start one. Every year, you may save 2,400 tons of Co2 emissions by reusing a large portion of your family's trash.



Purchase Things and Commodities from the Neighborhood:

Buying locally supports our local economy and may reduce the tons of money of CO₂ that are released during shipping and transportation things created elsewhere, whether it's the food you consume or the clothes on your back.

Environmental modification however anticipated to have an effect on human body through a number of indirect channels, including the transmission of communicable diseases, the productivity of soil contamination and sea-based food production, the accessibility of groundwater, and the possibility that by accelerating habitat mislaying, it will weaken & incapacitate the biodiversity administrations that support human culture. Proactive or reactive, occurring at both broad and small scales, such as at the demographic, local region, and organization degree, modifications in the socioeconomic threat posed by climate modification can occur. Hurricanes may become more often as oceanic waters warm; floods may become more frequent as the irrigation services worsens, and heat waves may become more common in mid continental areas as a result of global environmental change. As detailed in later parts, adjusting severe weather events' regularity and intensity and winter storms would have an impact on the occurrence and severity of dreariness and deaths. As a result, Prudence has a compelling case for it, both in terms of reducing environmental modification and preparing for its effects. During the first ten years of the twenty-first century, that theme is projected to get to be a key area of study for public welfare and healthcare system improvement, and support. Without a doubt, the discussion of global climatic-natural threats to the evolution of maintainability would be heavily influenced by the wellbeing of the human population. Due to the unique nature of environmental change study on a worldwide scale, there will only be a little window of time to convey an early evaluation of alternative possibilities. Hot and humid and wetter conditions would have an impact on the growth of various air contaminations, allergic spores, and dusts.

REFERENCES

AGARVAL, ANIL, SUNITA, NARAIN (OCT 2003), GLOBAL WARMING IN AN UNEQUAL WORLD: A CASE OF ENVIRONMENT COLONIALISM, NEW DELHI, CENTRE FOR SCIENCE AND ENVIRONMENT, SECOND REPRINT,



[HTTPS://WWW.RESEARCHGATE.NET/PUBLICATION/338040593](https://www.researchgate.net/publication/338040593)
3 GLOBAL WARMING IN AN UNEQUAL WORLD A CASE
OF ENVIRONMENTAL COLONIALISM A CASE OF ENVIRON
MENTAL COLONIALISM

A.J. McMichael, D.H. Campbell-Lendrum, C.F. Corvalán, K.L. Ebi, A.K. Githeko, J.D. Scheraga, A. Woodward (2003), Climate change and human health: risks and responses, Geneva: World Health Organization, <https://www.who.int/globalchange/publications/climchange.pdf>

Anwar, Farhan (2012)," Karachi city climate change adaptation strategy: a roadmap", Pakistan, Friedrich-Naumann-Stiftung für die Freiheit, https://www.preventionweb.net/files/27915_100286295karachicityclimatechangead.pdf

Arshad, Adnan, Ashraf, Muhammad, Sundari, Ristina Siti, Qamar, Huma, Wajid, Muhammad, Mahmood-ul-Hassan (2020), "Vulnerability assessment of urban expansion and modeling green spaces to build heat waves risk resiliency in Karachi", Elsevier, International Journal of Disaster Risk Reduction, <https://www.researchgate.net/publication/338978853> Vulnerability assessment of urban expansion and modelling green spaces to build heat waves risk resiliency in Karachi

Babar, Maryam Salma, Tazyeen, Saema, Khan, Hiba, Tsagkaris, Christos, Essar, Muhammad Yasir, Ahmad, Sohaib (2021), "Impact of climate change on health in Karachi, Pakistan", Elsevier, The Journal of Climate Change and Health 2, <https://www.journals.elsevier.com/the-journal-of-climate-change-and-health>

Chaudhry, Qamar Uz Zaman (2017), climate change profile of Pakistan, Asian Development Bank, <https://www.adb.org/sites/default/files/publication/357876/climate-change-profile-pakistan.pdf>

Chaudhry, Qamar uz Zaman (September 2012)," National climate change policy", Pakistan, Government of Pakistan ministry of climate change, <http://www.nrsp.org.pk/gcf/docs/National-Climate-Change-Policy-of-Pakistan.pdf>

Chaudhry, Qamar uz Zaman, Rasul, Dr. Ghulam, Kamal, Ahmad, Mangrio, Munir Ahmad, Mahmood, Shahbaz(2015), "Technical Report on



Karachi Heat wave June 2015", Government of Pakistan, Ministry of Climate Change, [://mocc.gov.pk/SiteImage/Misc/files/Final%20Heat%20Wave%20Report%203%20August%202015.pdf](http://mocc.gov.pk/SiteImage/Misc/files/Final%20Heat%20Wave%20Report%203%20August%202015.pdf)

Climate Change Evidence and Causes Update 2020, The Royal Society, National Academy of science, https://royalsociety.org/~media/royal_society_content/policy/projects/climate-evidence-causes/climate-change-evidence-causes.pdf

Climate Change Evidence, Impacts, and Choices: answers to common questions about the science of climate change, National Research council, <https://www.nap.edu/resource/12781/Climate-Change-Lines-of-Evidence.pdf>

Climate Change Science: An Analysis of Some Key Questions, Washington, D.C, National Academy Press, https://www.nap.edu/login.php?record_id=10139&page=https%3A%2F%2Fwww.nap.edu%2Fdownload%2F10139

Farooqi, Aujum Bari, Hayat khan, Azmat, Mir, Hazrat (March 2005), "Climate Change Perspective in Pakistan", Pakistan: Pakistan Journal of Meteorology, Vol 2 (Issue 3), http://www.pmd.gov.pk/rnd/rnd_files/vol2_Issue3/2.%20CLIMATE%20CHANGE%20PERSPECTIVE%20IN%20PAKISTAN.pdf

Hanif (January 2017), "Socio-Economic Impacts of Heat Wave in of heat wave in sindhi", Vol. 13, Issue 26: Jan, 2017", Pakistan: Pakistan Journal of Meteorology, Vol 13 (Issue 26), http://www.pmd.gov.pk/rnd/rndweb/rnd_new/journal/vol13_issue26_files/7_Socio_Economic_Impacts_of_Heat_Wave_in_Sindh.pdf

Hickey, Gordon, Innes, Jhon L (December 2006), "The Importance of Climate Change when Considering the Role of Forests in the Alleviation of Poverty", International Forestry, https://www.researchgate.net/publication/240749569_The_Importance_of_Climate_Change_when_Considering_the_Role_of_Forests_in_the_Alleviation_of_Poverty

Houghton, Jhon (2004), Global warming: The complete Briefing, USA: Cambridge University Press, <http://www.gci.org.uk/Documents/Global-Warming-the-Complete-Briefing.pdf>



Karachi Heat wave Management Plan: A Guide to Planning and Response, Karachi: Commissioner Karachi, <https://ghhin.org/wp-content/uploads/HeatwaveManagementPlan.pdf>

Lackner, Maximilian, Chen, Wei-Yin, Toshio, Suzuki (October 2017), "Introduction to Climate Change Mitigation", New York: ResearchGate, <https://www.researchgate.net/publication/312007628> Introduction to Climate Change Mitigation

Magwenzi, Jacqueline, Chikware, Joel (May 2017), our climate Change: A Child Friendly climate change handbook, Zimbabwe: UNICEF, <https://www.unicef.org/zimbabwe/media/1111/file/Child%20friendly%20climate%20change%20handbook.pdf>

Potzick, James E (July 2018,), "A short history of climate change on planet earth", <https://www.researchgate.net/publication/326521402> A Short History of Climate Change on Planet Earth

Ruosteenoja, Kimmo, R.Carter, Timothy, Jylha, Kirusti, Tuomenvirta, Heikki (2003,), Future climate in world regions: an inter-comparison of model-based projections for the new IPCC emissions scenarios, Finland, Tummavuoren Kirjapaino, https://www.ipcc-data.org/documents/scatter_plot_report.pdf

Shahzad, Umair (2015), Global Warming: Causes, Effects and Solutions, Pakistan u r r e e s a m i n J o u r n a l, August vol 1 (issue 4), <https://www.researchgate.net/publication/316691239> Global Warming Causes Effects and Solutions

Wang, Dr. James, Chameides, Dr. Bill, Global Warming's Increasingly Visible Impacts, Environmental Defense, https://www.edf.org/sites/default/files/4891_GlobalWarmingImpacts.pdf

Yasmeen, Zeenat, M Afzaal, Anjum, M Akram, Ahmad, Burhan (June 2017,), "URBAN HEAT ISLAND IN CHANGING CLIMATE: A CASE STUDY OF KARACHI HEAT WAVE 2015, Pakistan: Pakistan Engineering Congress, 335421402_URBAN_HEAT_ISLAND_IN_CHANGING_CLIMATE_A_CASE_STUDY_OF_KARACHI_HEAT_WAVE_2015.

Zaafir, Muhammad Saleh (31 October 2021), "Karachi could be completely submerged by 2060, warn experts", Pakistan: The News



IJPS, Vol. 2 Issue 1 (2022)

The Effects of Global.....

International, 31, <https://www.thenews.com.pk/print/904708-karachi-could-be-completely-submerged-by-2060-warn-experts>